# Case Medical

## SuperNova Case Dry

Safety Data Sheet According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Date of Issue: 07/24/2017

Version: E

#### **SECTION 1: IDENTIFICATION**

**1.1.** Product Identifier Product Form: Mixture

Product Name: SuperNova Case Dry Product Code: CSNCD1W

#### **1.2.** Intended Use of the Product

Use of the Substance/Mixture: Drying Agent

#### 1.3. Name, Address, and Telephone of the Responsible Party

**Company** Case Medical Inc. 50 West St. Bloomfield, NJ 07003

201-313-1999

www.casemed.com

#### info@casemed.com

#### **1.4.** Emergency Telephone Number

**Emergency Number** 

: For Hazardous Materials [or Dangerous Goods] Incidents ONLY (spill, leak, fire, exposure or accident), call CHEMTREC at CHEMTREC<sup>®</sup>, USA & CANADA: 001 (800) 424-9300

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

GHS-US ClassificationEye Dam. 1H318Aquatic Acute 3H402Aquatic Chronic 3H412Full text of hazard classes and H-statements : see section 162.2. Label Elements

#### GHS-US Labeling

Hazard P	Pictograms	(GHS-US)
----------	------------	----------

Signal Word (GHS-US) Hazard Statements (GHS-US)

**Precautionary Statements (GHS-US)** 

Ensos
Danger
H318 - Causes serious eye damage. H402 - Harmful to aquatic life. H412 - Harmful to aquatic life with long lasting effects.
P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center or doctor.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US)

#### No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substance
- Not applicable

#### 3.2. Mixture

Name	Product Identifier	%	GHS-US classification
BEROL DR-B1	(CAS-No.) Proprietary	1 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 3, H402
1-Propanaminium, N,N,N-trimethyl-3-[(2- methyl-1-oxo-2-propenyl)amino]-, chloride, polymer with ethyl 2- propenoate and sodium 2-propenoate	(CAS-No.) 192003-74-0	1 - 10	Aquatic Chronic 2, H411
Dissolvine GL-47-S	(CAS-No.) Proprietary	1 - 10	Met. Corr. 1, H290
2-Pyrrolidinone, 1-octyl-	(CAS-No.) 2687-94-7	< 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
1-Dodecanamine, N,N-dimethyl-, N-oxide	(CAS-No.) 1643-20-5	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Citric acid	(CAS-No.) 77-92-9	< 1	Eye Irrit. 2A, H319 Comb. Dust
1-Tetradecanamine, N,N-dimethyl-, N- oxide	(CAS-No.) 3332-27-2	< 1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of First-aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes serious eye damage.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Sulfur oxides. Nitrogen oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### 6.2. Environmental Precautions

Do not allow uncontrolled discharge of product into the environment. Collect spillage.

#### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

#### Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

#### 7.3. Specific End Use(s)

Drying Agent

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

#### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment	: Gloves. Protective clothing. Protective goggles.
Materials for Protective Clothing	: Chemically resistant materials and fabrics.
Hand Protection	: Wear protective gloves.
Eye and Face Protection	: Chemical safety goggles.
Skin and Body Protection	: Wear suitable protective clothing.
Respiratory Protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory
	protection should be worn. In case of inadequate ventilation, oxygen deficient
	atmosphere, or where exposure levels are not known wear approved respiratory
	protection.
Other Information	: When using, do not eat, drink or smoke.
SECTION 9: PHYSICAL AND CHEMIC	
9.1. Information on Basic Physica	•
Physical State	: Liquid
Appearance	: Colorless
Odor	: Odorless
Odor Threshold	: No data available
рН	: 6.5 - 7.5
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: >100 °C (212 °F)
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	$: 1.00 \pm 0.005$
Solubility	: No data available
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: No data available
9.2. Other Information No addition	nal information available
SECTION 10: STABILITY AND REACT	
	s will not occur under normal conditions

10.1. Reactivity: Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur. 10.3.

10.4. **Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: None expected under normal conditions of use.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects

Acute Toxicity: Not classified **BEROL DR-B1** ATE (Oral) 500.00 mg/kg body weight Citric acid (77-92-9) LD50 Oral Rat 5400 mg/kg LD50 Dermal Rat > 2000 mg/kg 2-Pyrrolidinone, 1-octyl- (2687-94-7) 2050 mg/kg LD50 Oral Rat

#### Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ID50 Dermal Rabbit       ≥ 2000 mg/kg         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)       Intermation (1643-20-5)         ATE (Oral)       S00.00 mg/kg body weight         1-Tetradecanamine, N,N-dimethyl-, N-oxide (3332-27-2)       ID50 Oral Rat       > 1495 mg/kg         Skin Corrosion/Irritation: Not classified       > 1495 mg/kg       Serious Eye Damage/Irritation: Causes serious eye damage.         PH: 6.5 - 7.5       Serious Eye Damage/Irritation: Causes serious eye damage.       Perister.         Germ Cell Mutagenicity: Not classified       Germ Cell Mutagenicity: Not classified         Germ Cell Mutagenicity: Not classified       Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified       Specific Target Organ Toxicity (Repeated Exposure): Not classified         Symptoms/Injuries After Stin Contact: Prolonged exposure may cause sin irritation.       Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.       Symptoms/Injuries After Ingestion: Ingestion may cause afters.         Strict 12       ECOLOGICALINFORMATION       Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)       [LS2 ForloGICALINFORMATION]       Ecology - General       : Edaruft Ingesthite Strictic)		> 2000 mg/kg	
ATE (Oral)       500.00 mg/kg body weight         1-Tetradecanamine, N,N-dimethyl-, N-oxide (3332-27-2)	4 Dealers and a NIN discribed of action		
1.Tetradecanamine, N,N-dimethyl-, N-oxide (3332-27-2)         LD50 Oral Rat       > 1495 mg/kg         Skin Corrosion/Irritation: Not classified       >         PH: 6.5 - 7.5       Serious Eye Damage/Irritation: Causes serious eye damage.         pH: 6.5 - 7.5       Serious Eye Damage/Irritation: Not classified         Germ Cell Mutagenicity: Not classified       Serious Eye Damage/Irritation: Not classified         Germ Cell Mutagenicity: Not classified       Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified       Specific Target Organ Toxicity (Repeated Exposure): Not classified         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause irritation.       Symptoms/Injuries After Skin Contact: Prolonged exposure may cause irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause irritation.       Symptoms/Injuries After Skin Contact: Causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Indestion: Ingestion may cause adverse effects.       Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION       121.         12.1.       Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)       0.11 mg/l (72 hour)         12.2.       Persistence and Degradability       May cause long-term adverse effects in the	1-Dodecanamine, N,N-dimethyl-, N-oxide	(1643-20-5)	
LDS0 Oral Rat       > 1495 mg/kg         Skin Corrosion/Irritation: Not classified       pH: 6.5 - 7.5         Respiratory or Skin Sensitization: Not classified       Germ Cell Mutagenicity: Not classified         Germ Cell Mutagenicity: Not classified       Carcinogenicity: Not classified         Reporductive Toxicity: Not classified       Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified       Specific Target Organ Toxicity (Repeated Exposure): Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.       Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact: Causes permanent damage to the cornea, iris, or conjunctiva.       Symptoms/Injuries After Fye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.       Chronic Symptoms: None known.         SECTION 121 ECOLOGICALINFORMATION       121.1 Toxicity         12.1. Toxicity       Edit Symptoms/Injuries After Skin Contact: Prolonged exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)       ErCS (Algae)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         SuperNova Case Dry       Peresistence and Degradability         Super			
Skin Corrosion/Irritation: Not classified PH: 6.5 - 7.5 Serious Eye Damage/Irritation: Causes serious eye damage. PH: 6.5 - 7.5 Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Inhalation: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Inhalation: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Cftric acid (77-92-9) LCSO Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) Erc50 (Algae) 0.11 mg/l (72 hour) 12.2. Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readily biodegradable in water. 12.3. Bioaccumulative Potential Not established.	1-Tetradecanamine, N,N-dimethyl-, N-oxi	de (3332-27-2)	
pH: 6.5 - 7.5 Serious Eye Damage/Irritation: Causes serious eye damage. pH: 6.5 - 7.5 Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Germ Cell Mutagenicity: Not classified Germ Cell Mutagenicity: Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Symptoms/Injuries After Inhalation: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Eye Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LC50 Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyL, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/l (72 hour) 12.2. Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readily biodegradable in water. 12.3. Bioaccumulative Potential Not established.	LD50 Oral Rat	> 1495 mg/kg	
Serious Eye Damage/Irritation: Causes serious eye damage. pH: 6.5 - 7.5 Respiratory or Skin Sensitization: Not classified Gerrn Cell Mutagenicity: Not classified Carcinogenicity: Not classified Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Iskin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Iskin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LCSD Fish 1 1516 mg/I (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/I (72 hour) 12.2. Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readily biodegradable in water. 12.3. Bioaccumulative Potential SuperNova Case Dry Persistence and Degradability Not established.	Skin Corrosion/Irritation: Not classified		
pH: 6.5 - 7.5 Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Igestion: Ingestion may cause set of the cornea, iris, or conjunctiva. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGCICAL INFORMATION 12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LCS0 Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErCS0 (Algae) 0:11 mg/l (72 hour) 12.2. Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults Integration adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults Integration adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults Integration adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults Integration adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readults Integration Int	<b>pH:</b> 6.5 - 7.5		
Respiratory or Skin Sensitization: Not classified         Germ Cell Mutagenicity: Not classified         Carcinogenicity: Not classified         Reproductive Toxicity: Not classified         Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SectION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LCS0 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErCS0 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential <td< th=""><th>Serious Eye Damage/Irritation: Causes ser</th><th>ious eye damage.</th></td<>	Serious Eye Damage/Irritation: Causes ser	ious eye damage.	
Germ Cell Mutagenicity: Not classified         Carcinogenicity: Not classified         Reproductive Toxicity: Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.         Symptoms/Injuries After Inhalation: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Inhalation: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Inposton         Store (Classified)         Symptoms: None known.         Section 12: ECOLOGICAL INFORMATION         21.1       Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)       [516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)       [Statica (17-92-9]         SuperNova Case Dry       [Statica (17-92-9]         Persistence and Degradability	<b>pH:</b> 6.5 - 7.5		
Carcinogenicity: Not classified         Reproductive Toxicity: Not classified         Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Ingestion: Ingestion: may cause adverse effects.         Chronic Symptoms.         Stection 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General         : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LCS0 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErCS0 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Image: Terminal diverse effects in the environment.         Citric acid (77-92-9)       Image: Terminal diverse effects in the environment.         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Image: Terminal diverse effects in the en	Respiratory or Skin Sensitization: Not class	sified	
Reproductive Toxicity: Not classified         Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Eye Contact: causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential       Not established.	• •		
Specific Target Organ Toxicity (Single Exposure): Not classified         Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Inhalation: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LCSO Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErCS0 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential       Not established.       Not established.			
Specific Target Organ Toxicity (Repeated Exposure): Not classified         Aspiration Hazard: Not classified         Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.         Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.         Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Image: Ima			
Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Inhalation: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LC50 Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/l (72 hour) 12.2. Persistence and Degradability SuperNova Case Dry Persistence and Degradability Readily biodegradable in water. 12.3. Bioaccumulative Potential Not established.		-	
Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva. Symptoms/Injuries After Ingestion: Ingestion: may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION ECOlogy - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LC50 Fish 1 1516 mg/I (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/I (72 hour) 12.2. Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readily biodegradable in water. 12.3. Bioaccumulative Potential Not established.	Specific Target Organ Toxicity (Repeated B	xposure): Not classified	
Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation. Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION TOxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9) LC50 Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/l (72 hour) 12.2. Persistence and Degradability SuperNova Case Dry Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) LC30 Fish 1 Readily biodegradable in water. 12.3. Bioaccumulative Potential Not established.	•		
Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.         Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability         I.1. mg/l (72 hour)       12.2. Persistence and Degradability         May cause long-term adverse effects in the environment.       Citric acid (77-92-9)         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential       Not established.		<b>o</b> 1 <i>i</i>	
Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.         Chronic Symptoms: None known.         SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential       Not established.			
Chronic Symptoms: None known. SECTION 12: ECOLOGICAL INFORMATION  12.1. Toxicity Ecology - General : Harmful to aquatic life with long lasting effects. Citric acid (77-92-9)  LC50 Fish 1 1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])  1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5) ErC50 (Algae) 0.11 mg/l (72 hour)  12.2. Persistence and Degradability SuperNova Case Dry Persistence and Degradability May cause long-term adverse effects in the environment. Citric acid (77-92-9) Persistence and Degradability Readily biodegradable in water.  12.3. Bioaccumulative Potential Not established.			
SECTION 12: ECOLOGICAL INFORMATION         12.1. Toxicity         Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)       Image: Colspan="2">ErC50 (Algae)         0.11 mg/l (72 hour)       12.2. Persistence and Degradability       May cause long-term adverse effects in the environment.         SuperNova Case Dry         Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential       Not established.		ion may cause adverse effects.	
12.1. ToxicityEcology - General: Harmful to aquatic life with long lasting effects.Citric acid (77-92-9)1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)1643-20-5)ErC50 (Algae)0.11 mg/l (72 hour)12.2. Persistence and DegradabilityMay cause long-term adverse effects in the environment.SuperNova Case DryPersistence and DegradabilityPersistence and DegradabilityReadily biodegradable in water.12.3. Bioaccumulative PotentialNot established.		TION	
Ecology - General       : Harmful to aquatic life with long lasting effects.         Citric acid (77-92-9)       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)       Image (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability       Vary (1000)         SuperNova Case Dry       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Readily biodegradable in water.         12.3. Bioaccumulative Potential       Not established.			
Citric acid (77-92-9)         LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability         SuperNova Case Dry         Persistence and Degradability         May cause long-term adverse effects in the environment.         Citric acid (77-92-9)         Persistence and Degradability         Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential	•	• Harmful to aquatic life with long lasting effects	
LC50 Fish 1       1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])         1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability         SuperNova Case Dry         Persistence and Degradability         May cause long-term adverse effects in the environment.         Citric acid (77-92-9)         Persistence and Degradability         Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential			
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-20-5)         ErC50 (Algae)       0.11 mg/l (72 hour)         12.2. Persistence and Degradability         SuperNova Case Dry         Persistence and Degradability         May cause long-term adverse effects in the environment.         Citric acid (77-92-9)         Persistence and Degradability         Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential	• •	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
ErC50 (Algae)0.11 mg/l (72 hour)12.2. Persistence and DegradabilitySuperNova Case DryPersistence and DegradabilityMay cause long-term adverse effects in the environment.Citric acid (77-92-9)Readily biodegradable in water.Persistence and DegradabilityReadily biodegradable in water.12.3. Bioaccumulative PotentialNot established.			
12.2. Persistence and Degradability         SuperNova Case Dry         Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential         Not established.			
SuperNova Case Dry         Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Persistence and Degradability         Readily biodegradable in water.       Readily biodegradable in water.         12.3. Bioaccumulative Potential       SuperNova Case Dry         Bioaccumulative Potential       Not established.			
Persistence and Degradability       May cause long-term adverse effects in the environment.         Citric acid (77-92-9)       Readily biodegradable in water.         Persistence and Degradability       Readily biodegradable in water.         12.3.       Bioaccumulative Potential         SuperNova Case Dry       Not established.		/	
Citric acid (77-92-9)         Persistence and Degradability       Readily biodegradable in water.         12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential         Not established.		Manuary langthere a flast in the antimer and	
Persistence and Degradability     Readily biodegradable in water.       12.3.     Bioaccumulative Potential       SuperNova Case Dry     Bioaccumulative Potential       Bioaccumulative Potential     Not established.		May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative Potential         SuperNova Case Dry         Bioaccumulative Potential         Not established.			
SuperNova Case Dry       Bioaccumulative Potential       Not established.	• •	Readily biodegradable in water.	
Bioaccumulative Potential Not established.			
Citric acid (77-92-9)		Not established.	
Log Pow -1.72 (at 20 °C)	Log Pow	-1.72 (at 20 °C)	
12.4. Mobility in Soil No additional information available	12.4. Mobility in Soil No additional i	nformation available	
12.5. Other Adverse Effects	12.5. Other Adverse Effects		
	Other Information	: None known.	

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. **Waste Treatment Methods** 

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Ecology - Waste Materials: Dispose of waste and residues in accordance with local authority requirements.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- **14.1.** In Accordance with DOT Not regulated for transport
- 14.2. In Accordance with IMDG Not regulated for transport
- 14.3. In Accordance with IATA Not regulated for transport

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. US Federal Regulations

SuperNova Case Dry

SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Citric acid (77-92-9)	
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory
2-Pyrrolidinone, 1-octyl- (2687-94-7)	
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory
EPA TSCA Regulatory Flag	P - P - indicates a commenced PMN substance.
1-Dodecanamine, N,N-dimethyl-, N-oxide (1643-	20-5)
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory
1-Tetradecanamine, N,N-dimethyl-, N-oxide (333	32-27-2)
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory
1-Propanaminium, N,N,N-trimethyl-3-[(2-methyl sodium 2-propenoate (192003-74-0)	-1-oxo-2-propenyl)amino]-, chloride, polymer with ethyl 2-propenoate and
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory
EPA TSCA Regulatory Flag	P - P - indicates a commenced PMN substance.
	XU - XU - indicates a substance exempt from reporting under the
	Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA
	Inventory Data Base Production and Site Reports (40 CFR 710(C)).

## Date of Preparation or Latest Revision : 07/24/2017

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Ox. Liq. 1	Oxidizing liquids Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)